

	Type	Hits	Search Text	Dbs
1	BRS	3	"6667848".PN. OR "6754049".PN. OR "5159511".PN.	USPAT
2	BRS	1	"6449131".pn.	USPAT
3	BRS	2	"20030179513" or "20030011948"	US-PGPUB
4	BRS	934	360/324.1.ccls. or 360/324.11.ccls.	US-PGPUB; USPAT
5	BRS	396	S4 and (AP or ((antiparallel\$3 or antiferromagnetic) adj coupl\$4))	US-PGPUB; USPAT
6	BRS	275	S5 and @ad<"20030702"	US-PGPUB; USPAT
7	BRS	271	S6 and (thick or thickness)	US-PGPUB; USPAT
8	BRS	108	S6 and (thick or thickness) and (saturation or saturated)	US-PGPUB; USPAT
9	BRS	134225	360/4.ccls. or "29"/\$.ccls.	US-PGPUB; USPAT
10	BRS	0	S9 and (NiFe with (saturat\$4 adj field))	US-PGPUB; USPAT
11	BRS	108	S9 and (NiFe with (saturat\$4))	US-PGPUB; USPAT
12	BRS	0	S9 and (NiFe with "H.sub. s")	US-PGPUB; USPAT
13	BRS	0	S9 and (NiFe with (saturation adj field))	US-PGPUB; USPAT

	Type	Hits	Search Text	DBs
14	BRS	25	S9 and ((saturation adj field))	US-PGPUB; USPAT
15	BRS	763	S9 and (NiFe (saturation adj3 field))	US-PGPUB; USPAT
16	BRS	739	S9 and (NiFe (saturation adj magnetic adj field))	US-PGPUB; USPAT
17	BRS	0	S9 and (NiFe with (saturation adj magnetic adj field))	US-PGPUB; USPAT
18	BRS	0	S9 and (NiFe with "Hs")	US-PGPUB; USPAT
19	BRS	202	S9 and ("Hs")	US-PGPUB; USPAT
20	BRS	0	S9 and (NiFe same "Hs")	US-PGPUB; USPAT
21	BRS	10	(NiFe with "Hs")	US-PGPUB; USPAT
22	BRS	179806	"360"/\$.ccls. or "29"/\$.ccls.	US-PGPUB; USPAT
23	BRS	9	S22 and (NiFe with (saturation adj field))	US-PGPUB; USPAT
24	BRS	6	S22 and (NiFe with "Hs")	US-PGPUB; USPAT
25	BRS	11	S22 and (NiFe same "Hs")	US-PGPUB; USPAT
26	BRS	5	S25 not S24	US-PGPUB; USPAT

	Type	Hits	Search Text	DBs
27	BRS	378	S22 and (NiFe with (saturation))	US-PGPUB; USPAT
28	BRS	1639	(melting adj point) with (Ir or Ru)	US-PGPUB; USPAT
29	BRS	501	(melting adj point) adj3 (Ir or Ru)	US-PGPUB; USPAT
30	BRS	513	360/324.11.ccls.	US-PGPUB; USPAT
31	BRS	513	S30 and 2ad<"20030702"	US-PGPUB; USPAT
32	BRS	387	S30 and @ad<"20030702"	US-PGPUB; USPAT
33	BRS	137	S32 and (Ru with Ir)	US-PGPUB; USPAT
34	BRS	205	Chen-tianjie.xp.	US-PGPUB; USPAT